

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33028	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 12:56
S2	13954	S1 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:40
S3	369061	(terminal or computer) with (switch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:13
S4	525	S3 and ((connector or port) with (id or address or identif\$7) with (key or encipher\$3 or encrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:14
S5	133	S4 and (encipher\$3 or encrypt\$3) with (input or key board or (key adj\$1 code))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:15
S6	58	S5 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:15
S7	24	S6 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:15
S8	16	S7 and ((rout\$3 or identify\$3) with (data or input or destination or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:24

## EAST Search History

S9	1	S8 and (kvm or (keyboard with video with mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:12
S10	128323	((serial adj\$1 number) or (identifier or identification)) with (key or encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:29
S11	2532	S10 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:25
S12	57	S11 and (kvm or (keyboard with video with mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:51
S13	34	S12 and ((serial adj\$1 number) or (identifier or identification)) with (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:33
S14	1	S13 and ((kvm or (keyboard with video with mouse)) with switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:28
S15	466	((kvm or (keyboard with video with mouse)) with switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:28
S16	104	S15 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:29

## EAST Search History

S17	2	S16 and ((serial adj\$1 number) or (identifier or identification)) with (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:25
S18	355	(identifier or address) with (connector or port) with (encipher\$3 or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:33
S19	94	S18 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:39
S20	129119	(rout\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S21	38	S20 and (intermediate adj connector)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S22	0	S21 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S23	16	S21 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:42
S24	1	S23 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40

## EAST Search History

S25	162	S15 and connector	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:42
S26	20	S25 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:47
S27	2	S26 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:43
S28	31	(kvm adj switch) and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:47
S29	4	S28 and @ad<"20021130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:53
S30	1370	(switch with (address or identifier) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:53
S31	912	S30 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:53
S32	29	S31 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:05

## EAST Search History

S33	5622	(gateway with rout\$3) with (data or packet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:06
S34	46	S33 and (gateway with (public adj key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:08
S35	13	S34 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:23
S36	28	S33 and (gateway with (private adj key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:08
S37	9	S36 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:08
S38	1427	(public adj key) with (identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:23
S39	415	S38 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:23
S40	14	S39 and (kvm)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:24

## EAST Search History

S41	279	S39 and ((serial adj\$1 number) or (identifier or identification)) with (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:25
S42	42	S41 and ((data or packet) with (rout\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:30
S43	197	(us\$3 or utiliz\$3) with (identifer or (serial adj number)) near (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:32
S44	0	S43 and S16	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:32
S45	96	S43 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:36
S46	0	S45 and ((gateway or connector) with (rout\$3) with (data or packet))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:33
S47	209	kvm adj switch	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:36
S48	209	S47 and 2ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40

## EAST Search History

S49	31	S48 and (kvm near (connector or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S50	24	S49 and ((connector or port) with (id or identifier or identification or (serial adj\$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:41
S51	6	S50 and (encrypt\$3 or encipher\$3 or cryptograph\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S52	34	S47 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:41
S53	5	S52 and (kvm near (connector or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S54	0	S53 and (encrypt\$3 or encipher\$3 or cryptograph\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S55	1	S52 and (encrypt\$3 or encipher\$3 or cryptograph\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S56	265352	((connector or port) with (address or id or identifier or identification or (serial adj\$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:42

## EAST Search History

S57	102040	S56 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:41
S58	1825	S57 and ((encrypt\$3 or encipher\$3 or cryptograph\$7) with (address or id or identifier or identification or (serial adj\$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:43
S59	1285	S58 and (gateway or switch or router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:43
S60	386	S59 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:44
S61	197	S60 and terminal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:44
S62	2	"6308239".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:22
S63	2	"6407773".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:22
S64	3677	(rotat\$3 or encrypt\$3 or encipher\$3) with (identifier or identification) with (number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:45



## EAST Search History

S65	33028	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:18
S66	13954	S65 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:22
S67	163	S64 and S66	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:41
S68	42	switch with (us\$3) with (id or identification or address) with (encipher\$3 or encrypt\$3) with (packet or data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:44
S69	12	S68 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:45
S70	42	gateway with (us\$3) with (id or identification or address) with (encipher\$3 or encrypt\$3) with (packet or data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:44
S71	2882	(rotat\$3 or encrypt\$3 or encipher\$3) with (port) with (number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:46
S72	9	S70 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:46

## EAST Search History

S73	1131	S71 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:53
S74	0	(rotat\$3 or shift) adj by adj (port) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:47
S75	0	(rotat\$3 or shift) adj by adj (port or connector) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:47
S76	0	(rotat\$3 or shift) adj by adj (port or connect\$3) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:48
S77	0	(rotat\$3 or shift) adj by adj (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:48
S78	205	S73 and shift	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:49
S79	76	S73 and (shift with data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:52
S80	8	(shift\$3 or rotat\$3) with by with (id or identifier or identification or (serial adj number))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:56

## EAST Search History

S81	0	S80 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:53
S82	79	380/258.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:57
S83	38	380/56-57.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:11
S84	22	(smart adj card) with (identifier) with (encrypt\$3 or encipher) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:12
S85	1	S84 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:12
S86	151	(smart adj card) with (identifier or (serial adj\$1 number)) with (encrypt\$3 or encipher) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:12
S87	59	S86 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:17
S88	2998	(gateway or switch) with (port or address) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:17

## EAST Search History

S89	1596	S88 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:17
S90	70	S89 and S65	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:18
S91	9	("5721842" or "6473811" or "6557170" or "5675653").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:32
S92	1	"7039810".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:23
S93	16622	(port or address or switch) with (number or id or identification) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:24
S94	38649	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:24
S95	14619	S94 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:57
S96	59	S95 and (switch with (shared with (node or computer or device)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:25

## EAST Search History

S97	6	S96 and (private with (computer or node or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:32
S98	304346	switch\$3 with terminal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:33
S99	157603	S98 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:34
S10 0	11	S99 and (private adj (computer or node or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:35
S10 1	10	S99 and (kvm adj switch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S10 2	274	(kvm adj switch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:00
S10 3	0	S102 and (private adj (computer or node))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S10 4	7	S102 and (private with (computer or node))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38

## EAST Search History

S10 5	0	S104 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S10 6	38	S102 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:03
S10 7	1	S106 and (encipher\$3 or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:39
S10 8	2845	switch with (remote or shared) with computer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S10 9	1423	S108 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S11 0	2	S109 and (private adj computer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S11 1	38	380/56-57.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:59
S11 2	28	725/150.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:59

## EAST Search History

S11 4	155	710/73.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:04
S11 5	939	(kvm or (keyboard with video with mouse)) and ((address\$3 or id or identification or serial) with (key or encipher\$3 or encrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:12
S11 6	309	S115 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:33
S11 7	25	S116 and (rotat\$3 or shift\$3) with (bit or byte)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:20
S11 8	0	395/311.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:46
S11 9	105	key with ((port or connector) adj (id or identification))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:57
S12 0	32	S119 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S12 1	127	key with ((hardware) adj (id or identification))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:57

## EAST Search History

S12 2	28	S121 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S12 3	84	rotat\$3 with bit with encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S12 4	47	S123 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02
S12 5	37	(kvm adj switch) and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02
S12 6	1	S125 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02
S12 7	8	("5721842" or "6557170" or "7039810" or "6473811").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 16:37
S12 8	402	kvm with switch	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 08:38
S12 9	40	S128 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:36



## EAST Search History

S13 0	1	S129 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 08:39
S13 1	40216	(port or address) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:32
S13 2	40	S129 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:58
S13 3	9926	S131 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:33
S13 4	2671	S133 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:33
S13 5	5	710/62-67,73.ccls. and S134	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:39
S13 6	751	(remote with desktop) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:39
S13 7	152	S136 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:56

## EAST Search History

S13 8	56	S137 and S131	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:39
S13 9	362	(port adj1 (number or identifier or address)) with (us\$3) with (key or rotat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:57
S14 0	96	S139 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 12:11
S14 1	97	(encrypt\$3 or encipher\$3) with (rotat\$3) with bit	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 12:11
S14 2	51	S141 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 12:11
S14 3	3110	(terminal with (encrypt\$3 or encipher\$3) with (transmission or communication))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:14
S14 4	1107	S143 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:17
S14 5	42415	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:15

## EAST Search History

S14 6	181	S144 and S145	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:17
S14 7	0	S146 and (kvm or (keyboard adj1 video adj1 mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:16
S14 8	129	S145 and (kvm or (keyboard adj1 video adj1 mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:16
S14 9	45	S148 and ((encrypt\$3 or encipher\$3) with (message or packet or transmission))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:16
S15 0	13	S149 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:17
S15 1	232	switch with (encrypt\$3 or encipher\$3) with (transmission)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:47
S15 2	109	S151 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:08
S15 3	0	(remote adj1 desktop) with (encrypt\$3 or encipher\$3) with (transmission)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:47

## EAST Search History

S15 4	13	(remote adj1 desktop) with (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:47
S15 5	0	S154 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:47
S15 6	6212	709/217,219.ccls. and @ad<"20021130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:53
S15 7	1209	S156 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:54
S15 8	206	S157 and (key with (mac or address or identifier))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:02
S15 9	86	S158 and switch	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:58
S16 0	12	S158 and (kvm or (keyboard with video with mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:07
S16 1	1144	(kvm or (keyboard adj2 video adj2 mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:07

## EAST Search History

S16 2	211	S161 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:11
S16 3	4	("7039810" or "5898837").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:11
S16 4	11	("5721842" or "5432850" or "6557170" or "6473811" or "7039810").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 17:04
S16 5	15098	(713/150-151,153-155,162-163, 189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls.) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:00
S16 7	545	(kvm or (keyboard adj video adj mouse)) with switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:23
S16 8	43	S167 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 16:59
S16 9	42	((port adj (id or identifier)) with key) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:10
S17 0	112	(default adj position) near (switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:10

## EAST Search History

S17 1	39	S170 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:13
S17 2	0	((kvm with switch) near (private adj (computer or workstation))) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:14
S17 3	0	((kvm with switch) near (reserv\$1 adj (computer or workstation))) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:21
S17 4	1	((switch) near (reserv\$1 adj (computer or workstation))) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:21
S17 5	0	((switch) near (private adj (computer or workstation))) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:21
S17 6	293	(private adj1 computer) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 09:46
S17 7	12	switch with (default adj (status or connection)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 09:46
S17 8	825	((choos\$3 or select\$3) with (default) with (printer or computer or workstation)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:48

## EAST Search History

S17 9	290	((connect\$3) with (default) with (printer or computer or workstation)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:44
S18 0	4023	((default) with (printer or computer or workstation)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:44
S18 1	1	S180 and (kvm with switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:44
S18 2	15101	(713/150-151,153-155,162-163, 189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls.) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:31
S18 3	8411	S182 and switch\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:00
S18 4	581	S183 and ((encrypt\$3 or encipher\$3) with (number or identifier or port or connector))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:08
S18 5	383	S184 and ((key) with (number or identifier or port or connector))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:12
S18 6	55	S185 and ((rotat\$3 or shift\$3 or shuffl\$3) with (number or identifier or port or connector))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 16:35

## EAST Search History

S18 7	87	380/258.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:33
S18 8	204	380/255.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:39
S18 9	226	713/150.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:39
S19 0	801	((rotat\$3 or shift\$3 or shuffl\$3) with (encrypt\$3 or encipher\$3)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 10:49
S19 1	372	S190 and ((rotat\$3 or shift\$3 or shuffl\$3) with (number or identifier or port or connector))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 16:35
S19 2	3232	((prevent\$3) with (erron\$5 or accident\$5) with (transfer\$4 or receipt or receiv\$3 or send\$3)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:10
S19 3	1204	S192 and switch\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:10
S19 4	9	S193 and S182	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:15



## EAST Search History

S19 5	754	380/28.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:24
S19 6	57	S191 and S195	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:16
S19 7	545	(kvm or (keyboard adj video adj mouse)) with switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:24
S19 8	92	S197 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:24
S19 9	1	S198 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:24
S20 0	2	"5898837".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 12:06
S20 1	2	"7039810".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 12:07
S20 2	20989	switch and ((port or connect\$3) adj (number or identifier))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 10:49

## EAST Search History

S20 3	15101	(713/150-151,153-155,162-163, 189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:27
S20 4	989	S202 and S203	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 10:50
S20 5	238	S204 and (rotat\$3 or shift\$3 or shuffl\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 11:06
S20 6	2341	S203 and (rotat\$3 or shift\$3 or shuffl\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 11:06
S20 7	727	S206 and (\$2crypt\$3 or \$2cipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:26
S20 8	1858	(switch\$3) with (default) with (setting or connection or computer or terminal or workstation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:26
S20 9	605	S208 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 17:01
S21 0	96	710/37.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 17:01